

	Application No.	Applicant(s)
Notice of Allowability	10/622,483 Examiner	NISHIKAWA ET AL. Art Unit
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Van T Trieu	2636
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (The Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatior GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>the Terminal DIsclaim</u>	er approved by 16 Feb 2005.	
2. The allowed claim(s) is/are <u>1-8</u> .		
3. The drawings filed on 21 July 2003 are accepted by the Exa	aminer.	
 4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives		
6. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.	
(a) I including changes required by the Notice of Draftsperso	on's Patent Drawing Review (PTO-	948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in th		
 DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F 	it of BIOLOGICAL MATERIAL not on the DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	ė
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	3), 7. Examiner's Amendo	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9. 🗌 Other	

DETAILED ACTION

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: there are no prior arts teaching or suggesting of an apparatus and method for controlling coming and going personnel at a facility comprising the steps of:

ionizing air by a discharging device, the air has been contacted with a coming person who entered into a control area provided between outside and inside of the facility;

detecting the ionized air by a mass spectrometer as a molecular weight; inputting the molecular weight into a control processor;

checking the molecular weight against molecular weights of dangerous substance which have been registered previously into the control processor to detect the molecular weight of dangerous substance in the air;

inputting a signal of the detected dangerous substance into a door driving controller; and

closing a door provided in the control area by operating said door driving controller to prohibit said coming person from entering the facility.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/622,483

Art Unit: 2636

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Page 3

Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from

examiner should be directed to primary examiner Van Trieu whose telephone number

is (571) 272-2972. The examiner can normally be reached on Mon-Fri from 7:00 AM to

3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mr. Jeffery Hofsass can be reached on (571) 272-2981.

. Van Trieu

Primary Examiner

Date: 3/9/05